

Message

---

**From:** Reinhart, Roger [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=218AC2FB5AD8481BBE8FD68E3F0D1E1F-RREINHAR]  
**Sent:** 4/20/2020 9:02:28 PM  
**To:** Rogers, Rick [rogers.rick@epa.gov]  
**Subject:** RE: Bi-Weekly Sampling at Plant GAC Treatment  
**Attachments:** WWKS GAC and Well System Results 041320\_Evergreen.xlsx

Rick,

Attached is a table with the latest comprehensive sampling results for HFPO-DA at the Washington Works facility. The "PT" column represents the raw, untreated groundwater. The levels fluctuate quite a bit, but the highest levels were from last year or two – the most recent results are somewhat lower. Wells 331 and 332 represent the two unused wells at the facility. Please let me know if you have any questions. Thanks.

---

**From:** Rogers, Rick <rogers.rick@epa.gov>  
**Sent:** Monday, April 20, 2020 4:54 PM  
**To:** Reinhart, Roger <Reinhart.Roger@epa.gov>  
**Subject:** RE: Bi-Weekly Sampling at Plant GAC Treatment

## Ex. 5 Deliberative Process (DP)

Rick Rogers, Chief  
Water Branch (3ED30)  
Enforcement and Compliance Assurance Division  
U.S. EPA Region III  
1650 Arch Street  
Philadelphia, PA 19103  
[rogers.rick@epa.gov](mailto:rogers.rick@epa.gov)  
Office: 215.814.5711  
Cell: 215.341.4762

---

**From:** Reinhart, Roger <Reinhart.Roger@epa.gov>  
**Sent:** Monday, April 20, 2020 3:16 PM  
**To:** Rogers, Rick <rogers.rick@epa.gov>  
**Subject:** FW: Bi-Weekly Sampling at Plant GAC Treatment

Rick,

Here is the email from Andrew Hartten and my response, concerning the Chemours request to return to monthly sampling of their facility drinking water wells for HFPO-DA. Let me know what you think. Thanks.

Roger

---

**From:** Reinhart, Roger  
**Sent:** Monday, April 20, 2020 2:52 PM  
**To:** Hartten, Andrew S <Andrew.S.Hartten@chemours.com>; Wilson, Jennifer <wilson.jenniferA@epa.gov>  
**Cc:** Parsons, Glenda <glenda.parsons@chemours.com>; Katherine Davis <katherine.l.davis@aecom.com>; Bjorn Cuento <bjorn.cuento@aecom.com>  
**Subject:** RE: Bi-Weekly Sampling at Plant GAC Treatment

Hi Andrew,

Given the fact that the HFPO-DA monitoring is voluntary, and the fact that we haven't detected an upward trend in concentrations in the wells serving the Washington Works facility, I don't believe EPA would object to a return to monthly sampling. That said, let me concur with my managers and Jenny Wilson of EPA Region 5 to get their viewpoints on the issue. I will let you know later today or tomorrow what we decide. Hope all's well with you and Kathy.

Roger

---

**From:** Hartten, Andrew S <[Andrew.S.Hartten@chemours.com](mailto:Andrew.S.Hartten@chemours.com)>

**Sent:** Monday, April 20, 2020 2:41 PM

**To:** Reinhart, Roger <[Reinhart.Roger@epa.gov](mailto:Reinhart.Roger@epa.gov)>; Wilson, Jennifer <[wilson.jenniferA@epa.gov](mailto:wilson.jenniferA@epa.gov)>

**Cc:** Parsons, Glennda <[glennda.parsons@chemours.com](mailto:glennda.parsons@chemours.com)>; Katherine Davis <[katherine.l.davis@aecom.com](mailto:katherine.l.davis@aecom.com)>; Bjorn Cuento <[bjorn.cuento@aecom.com](mailto:bjorn.cuento@aecom.com)>

**Subject:** Bi-Weekly Sampling at Plant GAC Treatment

Hello Roger and Jenny,

Back in early 2018 when there were many questions concerning HFPO-DA and the like, we began monitoring the plant GAC Treatment system bi-weekly (i.e., PFOA and HFPO-DA). We have now been doing that for 24 months and have built a considerable database, and have gone through several carbon change outs documenting excellent treatment results.


I just wanted you to know that in May that we plan to go back to the normal "monthly" sampling we are required to do under the WV DOH permit for the treatment system.



Let me know if you see problems with this. We are trying to trim un-necessary costs in these tough economic times.

Thanks.....Andrew

**Andrew S. Hartten**

Principal Project Manager-Corporate Remediation

+1 302 773 1289 

 Ex. 6 Personal Privacy (PP) 

**The Chemours Company**

1007 Market Street, #507-3

Wilmington, DE 19899



[LinkedIn](#) | [Twitter](#) | [Chemours.com](#)

<="" style="">

This communication is for use by the intended recipient and contains information that may be privileged, confidential or copyrighted under applicable law. If you are not the intended recipient, you are hereby formally notified that any use, copying or distribution of this e-mail, in whole or in part, is strictly prohibited. Please notify the sender by return e-mail and delete this e-mail from your system. Unless explicitly and conspicuously designated as "E-Contract Intended", this e-mail does not constitute a contract offer, a contract amendment, or an acceptance of a contract offer. This e-mail does not constitute a consent to the use of sender's contact information for direct marketing purposes or for transfers of data to third parties.

<https://www.chemours.com/en/email-disclaimer>